

# HEAVY DUTY EXHAUST TOP SELLERS



## TOP SELLERS


### VERTICAL TRUCK MUFFLERS (VTM)



+



+



HORIZONTAL

ROUND HOLES

VERTICAL

=




VTM BODY DIA	VERTICAL TRUCK MUFFLER				PERFORMANCE GOOD=ECONOMY BETTER/BEST-OEM	HEAT SHIELD CLAMP		MUFFLER HEAT SHIELD			
	P/N	INLET ID	OUTLET ID	LENGTH		WRAP	P/N	P/N	DIA	LENGTH	DESCRIPTION (BRIGHT STAINLESS)
9"	86713M	4.0"	4.0"	44.0"	GOOD	1/2	89762K	89996C	8.5-10.5"	48.0"	HORIZONTAL SLOTS
	86740M	4.0"	5.0"	44.0"	GOOD			89745C	8.5-10.5"	48.0"	VERTICAL SLOTS
	86108M	4.0"	4.0"	44.0"	BEST	3/4	89766K	89749C	8.5-10.5"	48.0"	ROUND HOLES
	86102M	5.0"	5.0"	44.0"	BEST			89774C	8.5-10.5"	48.0"	VERTICAL SLOTS
10"	86544M	4.0"	4.0"	44.0"	BETTER	1/2	89763K	89748A	8.5-10.5"	48.0"	ROUND HOLES (ALUMINIZED)
	86547M	4.0"	5.0"	44.0"	BETTER			89745C	8.5-10.5"	48.0"	VERTICAL SLOTS
	86656M	5.0"	5.0"	44.0"	BETTER			89747C	8.5-10.5"	48.0"	ROUND HOLES
	86682M	5.0"	5.0"	44.0"	GOOD			89996C	8.5-10.5"	48.0"	HORIZONTAL SLOTS
	86531M	5.0"	5.0"	44.0"	BEST	3/4	89767K	89749C	8.5-10.5"	48.0"	ROUND HOLES
	86130M	5.0"	6.0"	44.0"	BETTER			89995C	8.5-10.5"	48.0"	HORIZONTAL SLOTS
	86196M	5.0"	5.0"	44.0"	BETTER			89774C	8.5-10.5"	48.0"	VERTICAL SLOTS
11"	86610M	6.0"	6.0"	44.0"	BETTER	--	--	--	--	--	--

»Reference full-line catalog for additional information & product coverage

# TOP SELLERS

## EXHAUST MUFFLERS



TYPE	PRODUCT P/N	INLET ID	OUTLET OD	BODY DIA	SHELL LENGTH	OVERALL LENGTH	INLET LENGTH	MAX FLOW 3" HG	MAX FLOW 2" HG	INLET CLOCK	OUTLET CLOCK
TYPE 1 BOTH ON CENTER	86178M	2.5"	2.6"	4.6"	14.5"	27.6"	5.1"	560	470	0	0
	86127M	4.0"	4.0"	8.5"	34.4"	40.0"	2.5"	2000	1670	0	0
	86560M	4.0"	4.0"	9.0"	20.0"	27.0"	3.5"	2000	1670	0	0
	86561M	4.0"	4.0"	9.0"	28.1"	34.6"	3.25"	1875	1580	0	0
TYPE 2 BOTH OFFSET	86536M	3.5"	4.0"	8.3x11.5"	32.0"	36.25"	2.0"	1300	1080	12	6
	86631M	3.5"	4.0"	8.3x11.5"	32.0"	36.25"	2.0"	1050	880	12	6
	86153M	4.0"	4.0"	8.3x11.5"	27.0"	33.2"	3.0"	1650	1375	12	6
	86529M	4.0"	4.0"	11.0"	36.0"	40.2"	3.0"	1550	1330	12	6
	86502M	4.0"	4.0"	11.0"	36.0"	41.2"	2.5"	1580	1320	12	6
86147M	5.0"	5.0"	10x15.0"	26.0"	33.0"	4.0"	2950	2500	12	6	
TYPE 2A DUEL END TO OFFSET	86185M	2.75"	4.0"	8.3x11.5"	27.7"	32.7"	2.7"	1300	1090	0,12	12
	86538M	2.75"	4.0"	8.3x11.5"	27.7"	32.7"	2.7"	1160	970	0,12	12
TYPE 3 END IN-END OUT SAME END	86774M	3.5"	4.0"	8.2x11.5"	32.0"	35.0"	3.0"	1900	1550	12	6
	86755M	3.5"	4.0"	8.2x11.5"	32.0"	38.4"	3.0"	1500	1220	12	6
	86121M	5.0"	5.0"	10x15.0"	26.0"	30.0"	3.0"	2200	1850	12	6
	86116M	5.0"	5.0"	10x15.0"	36.0"	39.0"	3.0"	2800	2300	12	6
TYPE 5 SIDE IN-END OUT	86190M	2.0"	2.0"	3.0"	18.8"	21.5"	2.0"	350	300	6	3
	86191M	2.5"	2.5"	6.6"	20.8"	23.5"	2.7"	640	535	6	3
	86192M	3.0"	3.0"	8.5"	27.0"	29.5"	2.5"	1200	1000	6	3
	86771M	4.0"	5.0"	9.0"	44.5"	48.0"	2.2"	2200	1800	6	0
	86526M	5.0"	5.0"	10.0"	44.5"	48.0"	5.5"	2700	2250	6	0
TYPE 7 END IN-SIDE OUT	86537M	3.5"	4.0"	8.3x11.5"	32.0"	35.0"	3.0"	1550	1300	12	2:30
	86548M	3.5"	4.0"	8.3x11.5"	32.0"	35.0"	3.0"	1600	1340	12	8:30
	86777M	3.5"	4.0"	8.3x11.5"	32.0"	35.0"	3.0"	2050	1680	12	8:30
	86545M	3.5"	4.0"	8.3x11.5"	32.0"	35.0"	3.0"	1450	1210	12	8:30
	86148M	4.0"	4.0"	10.0"	28.0"	30.5"	2.5"	1500	1250	6	1
	86530M	4.0"	4.0"	11.0"	36.0"	39.0"	3.0"	1720	1440	6	12
	86672M	5.0"	5.0"	11.0"	36.0"	39.2"	3.2"	1900	1590	6	12


»Reference full-line catalog for additional information & product coverage

# TOP SELLERS

## STACK PIPES

STRAIGHT					
DIA	LENGTH	ALUMINUM ID	CHROME ID	ALUMINUM OD	CHROME OD
4.0"	24"	89025A	89025C	89013A	89013C
4.0"	36"	89026A	89026C	89014A	89014C
4.0"	48"	89027A	89027C	89015A	89015C
4.0"	60"	89217A	89217C	89205A	89205C
4.0"	72"	89919A	89919C	89916A	89916C
5.0"	24"	89028A	89028C	89016A	89016C
5.0"	36"	89029A	89029C	89017A	89017C
5.0"	48"	89030A	89030C	89018A	89918C
5.0"	60"	89031A	89031C	89019A	89019C
5.0"	72"	89920A	89920C	89918A	89018C

CURVED					
DIA	LENGTH	ALUMINUM ID	CHROME ID	ALUMINUM OD	CHROME OD
4.0"	24"	89055A	89055C	89043A	89043C
4.0"	36"	89056A	89056C	89044A	89044C
4.0"	48"	89057A	89057C	89045A	89045C
4.0"	60"	89226A	89226C	89222A	89222C
4.0"	72"	89985A	89985C	89293A	89293C
5.0"	24"	89058A	89058C	89046A	89046C
5.0"	36"	89059A	89059C	89047A	89047C
5.0"	48"	89060A	89060C	89048A	89048C
5.0"	60"	89227A	89227C	89049A	89049C
5.0"	72"	89988A	89988C	89296A	89296C



»Reference full-line catalog for additional information & product coverage

## EXHAUST V-BAND CLAMPS

P/N	TUBE DIA	CLAMP OD	APPLICATION
89571K	2.75"	3.20"	Cummins B
89530K	3.0"	3.87"	Ford D9HT-5I210-DA
89505K	3.0"	3.82"	DD 6V53-71
89500K	3.0"	3.88"	Cummins V903, Ford 370, 429, E5HZ-5A231-B
89573K	3.5"	4.12"	Cummins C
89531K	3.5"	4.19"	Cat 3208T, Ford 6.6, 7.8, E2HT5A212AA
89512K	3.5"	4.31"	IH DT466 & Connector Ends
89506K	3.5"	4.50"	DD8V71-671
89501K	3.5"	4.25"	Cummins VT555
89508K	4.0"	4.06"	DD 8.2N
89520K	4.0"	4.75"	Cat 3126T, 3176T, Cummins L10 & M11
89509K	4.0"	4.75"	DD 8.2T, GM 2295978
89532K	4.0"	4.94"	Mack 11ME29
89502K	4.0"	4.50"	Switzer 4LDE, 4LE, 4LH, 4LS
89507K	4.0"	4.91"	DD 6-71
89533K	4.0"	4.61"	Mack 48RU2341
89503K	5.0"	5.88"	Cummins T50 Turbo, M-11



## PRE-CUT FLEX HOSE



ID-ID DIA	LENGTH	GALVANIZED (GOOD)	STAINLESS 304 (BEST)
4.0"	12"	90903K	89726K
4.0"	18"	89606K	89727K
4.0"	24"	89607K	89728K
4.0"	36"	89608K	89729K
5.0"	12"	90902K	89730K
5.0"	18"	89609K	89731K
5.0"	24"	89610K	89732K
5.0"	36"	89611K	89733K

# TOP SELLERS


## BULK FLEX TUBING

ID-ID DIA	10' P/N		25' P/N	
	GALVANIZED (GOOD)	STAINLESS 409 (BEST)	GALVANIZED (GOOD)	STAINLESS 409 (BEST)
2.5"	89641K	89621K	--	--
3.0"	89642K	89622K	89712K	89721K
3.5"	89643K	89623K	89713K	89722K
4.0"	89644K	89624K	89714K	89723K
4.5"	--	--	90519K	90520K
5.0"	89645K	89625K	89715K	89724K
6.0"	89646K	89626K (304)	89716K	89725K



## SPLITTER TEE ADAPTER

P/N	OD	ID	LENGTH	HEIGHT
89940A	4.0"	4.0"	16.0"	11.25"
89950A	5.0"	5.0"	25.0"	14.0"



## SPARK ARRESTORS

UNIVERSAL					
P/N	INLET ID	OUTLET OD	BODY DIA	SHELL LENGTH	OVERALL LENGTH
49115U	1.5"	1.5"	4.24"	3.10"	5.9"
49110U	1.05"	1.25"	4.24"	3.20"	5.9"
49125A	2.5"	2.63"	5.62"	8.6"	12.8"
49120B	2.0"	2.0"	5.62"	6.4"	11.0"
49130A	3.0"	3.13"	6.62"	10.2"	14.9"
49135A	3.5"	3.63"	7.62"	12.0"	17.6"
49140A	4.0"	4.03"	8.5"	14.6"	21.2"

ADD-ON SCREEN			
P/N	SIZE ID	HORSEPOWER RANGE	SOUND REDUCTION
49017N	0.750	4-8	3 DBA
49019N	0.875	4-8	3 DBA
49020N	1.000	6-10	3 DBA
49021N	1.125	8-12	3 DBA
49022N	1.250	10-18	3 DBA
49024N	1.375	16-26	3 DBA
49025N	1.500	20-35	3 DBA



**UNIVERSAL**



**ADD-ON SCREEN**

## EXHAUST CLAMPS




CLAMP TYPE	MATERIAL	PART NUMBER						
		2.0"	2.5"	3.0"	3.5"	4.0"	5.0"	6.0"
ACCUSEAL FLATBAND	ALUMINIZED	90869A	90871A	90873A	90874A	90875A	90877A	90878A
	STAINLESS	900016A	900018A	900003A	900004A	90885A	90887A	90888A
GUILLOTINE U-BOLT	ZINC	89541K	89543K	89545K	89547K	89548K	89549K	89550K
ROUND U-BOLT	STAINLESS	90929K	90916K	900041K	900042K	900043K	900044K	900045K
EASYSEAL WIDEBAND	STAINLESS	89521K	89523K	89525K	89526K	89527K	89528K	89529K
T-BAR	STAINLESS	89591K	89592K	89580K	89581K	89582K	89584K	--
TORCITE BUTT-JOINT	ALUMINIZED	90370A	90372A	90374A	90375A	90376A	90388A	90379A
	STAINLESS	90380A	90382A	90384A	90385A	90386A	90378A	90389A
TORCITE LAP-JOINT	ALUMINIZED	90350A	90352A	90354A	90355A	90356A	90358A	90359A
	STAINLESS	90360A	90362A	90364A	90365A	90366A	90368A	90369A
HARDWARE		Q56981						

»Reference full-line catalog for additional information & product coverage


# TOP SELLERS

## EXHAUST RAIN CAPS



EXHAUST STACK OUTSIDE DIAMETER	COUNTER BALANCE RAIN CAP		SILENT RAIN CAP
	ZINC P/N	CHROME P/N	ZINC P/N
2.0"	89420A	89420C	--
2.5"	89425A	89425C	--
3.0"	89430A	89430C	89430E
4.0"	89440A	89440C	89440E
5.0"	89450A	89450C	89450E
6.0"	89460A	89460C	89460E

## FLARED CONNECTORS



P/N	DIMENSIONS			CLAMP** NUMBER	APPLICATION
	A OD	B OD	C LENGTH		
89962K	3.5"	4.0"	3.5"	89531K	CAT 3208-T
89963K	3.5"	4.0"	5.0"	89512K	DETROIT DIESEL
89964K	4.0"	4.63"	3.5"	89509K	D.D. 8.2 LITER T, CAT 3126T
89965K	4.0"	4.5"	5.0"	89513K	CUMMINS 250, L10
89966K	5.0"	5.5"	5.0"	89514K	CUMMINS
89967K	5.0"	5.75"	3.0"	89503K	T- 50 TURBO CHARGER CUMMINS M11

## ALUMINIZED REDUCERS



DIA	LENGTH	PART NUMBER			
		ID-ID	ID-OD	OD-OD	OD-ID
3.0" x 2.5"	6.0"	89271A	89168A	89253A	89182A
3.0" x 2.75"	6.0"	89273A	89169A	--	89183A
3.5" x 3.0"	6.0"	89274A	89170A	89254A	89184A
4.0" x 3.0"	6.0"	89275A	89171A	89881A	89185A
4.0" x 3.5"	6.0"	89276A	89172A	89255A	89186A
5.0" x 4.0"	6.0"	89277A	89173A	89256A	89187A
5.0" x 4.5"	6.0"	900095A	90559A	900097A	900096A
6.0" x 5.0"	6.0"	89278A	89283A	89883A	--

## STRAIGHT CONNECTORS

DIA	LENGTH	PART NUMBER		
		ID-ID	OD-ID	OD-OD
2.0"	6.0"	89261A	89249A	--
2.25"	6.0"	89262A	90066A	--
2.50"	6.0"	89263A	89250A	--
3.0"	6.0"	89160A	89164A	89245A
3.5"	6.0"	89161A	89165A	89246A
4.0"	6.0"	89162A	89166A	89247A
5.0"	6.0"	89163A	89167A	89248A



## UNIVERSAL HANGERS




PIPE HANGER		SWIVEL HANGER		MUFFLER HANGER	
P/N	FITS PIPE DIA	P/N	LENGTH	P/N	BODY DIA
90074A	2.75"	89519K	9.60"	89538K	8.5"
90076A	3.0"			98540K	10.0"
90079A	4.0"	90863K	13.30"	89551K	10.0 x 15.0"
90080A	5.0"	90843K	17.30"	900005A	11.0"

»Reference full-line catalog for additional information & product coverage

# TOP SELLERS

## ALUMINIZED STRAIGHT TUBING

P/N	TUBE OD	LENGTH	GAUGE
89685K	3.0"	10'	16
89686K	3.5"	10'	16
89687K	4.0"	10'	16
89688K	5.0"	10'	16
89698K	6.0"	10'	16




45° ELBOWS (I.D.-O.D.)

DIA	LENGTH A	LENGTH B	CENTER LINE RADIUS	ALUMINIZED P/N	CHROME P/N
3.0"	5.50"	5.50"	6.0"	89073A	89073C
3.5"	10.0"	10.0"	6.0"	89077A	89077C
4.0"	6.5"	6.5"	6.0"	89780A	89780C
4.0"	11.0"	11.0"	6.0"	89074A	89074C
4.5"	10.0"	10.0"	7.0"	90488A	--
5.0"	8.0"	8.0"	5.5"	89781A	--
5.0"	15.0"	15.0"	8.0"	89075A	89075C
6.0"	18.0"	18.0"	10.0"	89086A	--

90° ELBOWS (I.D.-O.D.)

DIA	LENGTH A	LENGTH B	CENTER LINE RADIUS	ALUMINIZED P/N	CHROME P/N
3.0"	9.0"	9.0"	6.0"	89101A	89101C
4.0"	6.0"	6.0"	6.0"	89923A	89923C
4.0"	10.0"	10.0"	6.0"	89105A	89105C
4.0"	18.0"	18.0"	6.0"	89106A	89106C
5.0"	8.5"	8.5"	6.0"	89924A	--
5.0"	10.0"	10.0"	6.0"	89784A	89784C
5.0"	15.0"	15.0"	8.0"	89107A	89107C
5.0"	18.0"	18.0"	8.0"	89108A	89108C



45° ELBOWS (O.D.-O.D.)

DIA	LENGTH A	LENGTH B	CENTER LINE RADIUS	ALUMINIZED P/N
2.5"	6.0"	6.0"	6.0"	89082A
3.0"	5.50"	5.50"	6.0"	89083A
3.5"	6.0"	6.0"	6.0"	89087A
4.0"	6.5"	6.5"	6.0"	89782A
4.0"	11.0"	11.0"	6.0"	89084A
5.0"	7.28"	7.28"	5.5"	89783A
5.0"	8.0"	8.0"	5.5"	900069A
5.0"	15.0"	15.0"	8.0"	89085A

90° ELBOWS (O.D.-O.D.)

DIA	LENGTH A	LENGTH B	CENTER LINE RADIUS	ALUMINIZED P/N
2.0"	9.0"	9.0"	6.0"	89110A
2.5"	11.0"	11.0"	6.0"	89111A
3.0"	9.0"	9.0"	6.0"	89113A
3.0"	14.0"	14.0"	6.0"	89234A
3.5"	15.0"	15.0"	6.0"	89114A
4.0"	18.0"	18.0"	6.0"	89115A
4.0"	12.0"	12.0"	6.0"	89116A
5.0"	10.0"	10.0"	6.0"	89126A
5.0"	15.0"	15.0"	8.0"	89117A

»Reference full-line catalog for additional information & product coverage